

JC050011

Toughflood Pro Symmetric Commercial

Toughflood Pro Symmetric Commercial 100W IP65 4000K Black

Features & Benefits

- Adjustable 180° tiltable bracket
- · Pre-wired with 1m flex
- IP65 and IK08 protection



















General Information

Mounting

Environment

Product Group

Color Finish

Product Shape

Product Range

IK Rating

Overall Dimensions

Width (mm)

Height (mm)

Depth (mm)

Product Weight(kg)

Light Source

Additional Information

Recommended product location

Method of fix

IP Rating

Origin of manufacturer

Surface Mounted

Outdoor

Floodlight

Black

Rectangular

Toughflood Pro Symmetric

08

257.6 x 310.3 x 55.7 mm

257.6

310.3

55.7

2.360

LED

1m flex cable length

Exterior, general security lighting

Mounting Bracket

65

China

Warranty (See Website for terms and conditions)

Driver manufacturer JCC

LED manufacturer/type LumiLEDS/2835R

Customs Tariff code** 9405421000

Electrical

Voltage Rating 220-240

Primary Running Current(Amp) 0.391-0.479

Inrush current(Amps) 3.84A@24.4uS

Operating Frequency Hz 50/60

Secondary running current(mA) 315

Constant Current or Constant Voltage Constant current

Luminaire Circuit Wattage1 100

Class

Output Voltage Max/Range (VDC) 270

Total Harmonic Distortion (THD)% 20
EMC Compliant (EN55015) Yes

Power Factor Correction 0.95

Input Electrical Connections Live(L) Earth(E) Neutral(N)

Dimmable No.

Thermals

Thermal Cut Out Yes

Operating Temperature Range °C -25 to 50

Performance Data

LED Life (Hours)* 102000

This product contains a light source of energy efficiency

Energy Rating

class D

Actual Lumen Output1 12750

Lumens Per Circuit Watt1 128

Color Rendering Index 80-89

CRI: Ra 80

Correlated Colour Temperature1 4000

Beam Angle ° 110

LOR (Light Output Ratio) % 100

Photometry Available Yes

Construction

Primary Material Aluminium

Outer Diffuser Toughened glass

Packaging

Product carton overall dimensions(cm)

28.2 x 6.5 x 32.6cm

Product Packaged Weight(kg)

Quantity Per Outer Carton

Outer carton(L)-cm

Outer carton(L)- cm
Outer carton(W)- cm

Outer carton(H)- cm
Outer carton Net weight- kg
Outer carton Gross weight- kg

Product Bar Code EAN-13 Number

Outer carton Bar Code ITF-14 Number

Standards & Approvals

Manufactured in accordance to

CE Marked

UKCA Marked

Date code/Purchase order No.

WEEE symbol

Certificate Of Conformity

Accredited Members

BS EN 60598-2015,2-1,2-5

Yes

2.5169

30.00

28.8

38.3

10.07kg

10.63kg

5052544123900

15052544123907

4


Yes

Yes

Yes

Available on request

LIA, ISO9001-2015, ISO14001-2015







*Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.

**JCC Lighting Limited makes every effort to ensure that the Customs Tariff information in this document is timely and accurate. However, it's not possible for us to assure the absolute veracity and completeness of that information, as errors may occur. The placement of any inaccurate tariff information is completely unintentional. JCC Lighting Limited reserves the right, in its sole discretion, to correct any errors or omissions to the tariff code

and to make any and all changes contained in this document at any time and without notice. It is the sole responsibility of the importer to ensure that the commodity code advised is correct for the products/goods being supplied by JCC Lighting Limited. JCC Lighting Limited does not assume any liabilities, losses, costs, and expenses arising out of or related to the importers use of this commodity code or the information related to the import of any JCC Lighting products.

JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT. Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk Company Registration Number: 03044848 | VAT Number: 918544112

This document is uncontrolled if printed, all information is subject to change

Version 46 [20/11/2025]