

JCEM003

Pro Batten Range Internal Emergency packs

Pro Batten Range Internal Emergency pack IP20



Features & Benefits

- Standard and Self-test Emergency pack options for use with ToughLED™ Pro and Skypack™ Pro Range
- Plug and play connectors for simple conversion of the Pro Batten range to emergency fittings
- LifePO4 Lithium batteries
- 5 year extended Warranty
-



General Information

Mounting	Integrated into gear tray
Trade Name	ToughLED™ Pro
Product Group	Weatherproof Battens
Color Finish	Green
Product Shape	Rectangular
Product Range	ToughLED™ Pro
Length (mm)	234.2
Width (mm)	49.2
Height (mm)	36.7
Product Weight(kg)	0.35
IP Rating	IP20
Origin of manufacturer	Made in China
Warranty	5 Year Warranty (5 years on batteries)(See Website for terms and conditions)
Operation Type	Maintained only
Customs Tariff code**	8536303099

Electrical

Voltage Rating	220-240
----------------	---------

Primary Running Current(Amp)	0.05
Inrush current(Amps)	7
Operating Frequency Hz	50/60Hz
Secondary running current(mA)	220-25
Luminaire Circuit Wattage1	2W max Output
Power Factor Correction	0.5
Input Electrical Connections	Plug and Play connectors

Emergency Data

Load Voltage(DC)	9-75
LOR % in Emergency Mode	Please refer to ToughLED™ Pro Emergency fittings datasheets
Minimum Battery run time	3
Recharge Time	24hrs

Battery Data

Battery Specification	LiFePO4 6.4V
Battery Type	Lithium Iron
Nominal battery current	1.8Amp
Charge Current	250mA
Recharge Time	24hrs
Battery Total Weight(kg)	0.084

Thermals

Operating Temperature Range °C	0 to +50
--------------------------------	----------

Construction

Primary Material	Polycarbonate
------------------	---------------

Packaging

Product Packaged Weight(kg)	0.39
Quantity Per Outer Carton	30
Outer carton(L)- cm	43.5
Outer carton(W)- cm	27.5
Outer carton(H)- cm	21.5
Outer carton Net weight- kg	11.7
Outer carton Gross weight- kg	12.2
Product Bar Code EAN-13 Number	5052544110832
Outer carton Bar Code ITF-14 Number	15052544110839

Standards & Approvals

Manufactured in accordance to	BS EN 60598:2015, 2-22
CE Marked	Yes

UKCA Marked	Yes
Date code/Purchase order No.	Yes
WEEE symbol	Yes
Certificate Of Conformity	Available on request
Accredited Members	LIA, ISO9001-2015, ISO14001-2015

**JCC Lighting Limited makes every effort to ensure that the Customs Tariff information in this document is timely and accurate. However, it's not possible for us to assure the absolute veracity and completeness of that information, as errors may occur. The placement of any inaccurate tariff information is completely unintentional. JCC Lighting Limited reserves the right, in its sole discretion, to correct any errors or omissions to the tariff code and to make any and all changes contained in this document at any time and without notice. It is the sole responsibility of the importer to ensure that the commodity code advised is correct for the products/goods being supplied by JCC Lighting Limited. JCC Lighting Limited does not assume any liabilities, losses, costs, and expenses arising out of or related to the importers use of this commodity code or the information related to the import of any JCC Lighting products.

JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT.
Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk
Company Registration Number: 03044848 | VAT Number: 918544112